From: Helen Duteau/R3/USEPA/US

Sent: 1/25/2012 4:02:45 PM

To: JohnJ Butler/R3/USEPA/US@EPA

CC:

Subject: Re: Dimock Update

actually....it's Incident Commander.

Helen DuTeau, Chief Community Involvement and Outreach Branch U.S. EPA, Region 3 1650 Arch Street (3HS52) Philadelphia, PA 19103-2029

Office: (215) 814-5521 Fax: (215) 814-3015 Mobile: (267) 738-7284

E-mail: duteau.helen@epa.gov

From: JohnJ Butler/R3/USEPA/US
To: Helen Duteau/R3/USEPA/US@EPA

Date: 01/25/2012 04:00 PM Subject: Re: Dimock Update

I just want to be sure......IC is Incident Command......correct?

Thanks!

John J. Butler Program Coordinator EPA Region III Hazardous Site Cleanup Division 1650 Arch Street (3HS00) Philadelphia, Pa. 19103-2029

Phone: 215-814-2127

Email: butler.johnj@epa.gov

From: Helen Duteau/R3/USEPA/US
To: JohnJ Butler/R3/USEPA/US@EPA

Cc: Ron Borsellino/R3/USEPA/US@EPA, Kathy Hodgkiss/R3/USEPA/US@EPA, Walter Wilkie/R3/USEPA/US@EPA, Trish

Taylor/R3/USEPA/US

Date: 01/25/2012 03:54 PM Subject: Dimock Update

Community Outreach / Communications

- The CIC and OSC team completed one (1) outstanding home well survey today.
- The fact sheet distribution is complete.
- The CIC is arranging to have photographs taken of EPA's sampling activities. The photos will be posted on EPA's

DIM0065012 DIM0065012

ωεβσιτε το ηελπ δοχυμεντ ανδ εδυχατε της πυβλιχ αβουτ ΕΠΑ σ ωορκ.

- The CIC has been tasked to write a Frequently Asked Questions fact sheet to post on the website and to distribute to all of homes being sampled. The purpose of the FAQ is to address, in advance of our sampling appointments, the frequently asked questions we are getting from the residents during our sampling activities.
- Tomorrow, the CIC will be on site for residential sampling at the sampling at the sampling at the sampling plan. This is the resident who wrote us an e-mail expressing concerns about our activities and asking for information about our sampling plan. The CIC is working with the IC on a written response to that e-mail. The OSC also plans to answer her questions in person during the sampling event.

DIM0065012 DIM0065013